

Curved Pop-Ups

Portable Exhibition Stands

- High impact, low cost
- Quick and easy to assemble
- Sturdy, durable and long lasting

Each kit includes:

- Collapsible **aluminium frame** (12mm diameter, silver finish) with black injection moulded fittings
- Set of magnetic bars and roll of magnetic 'B' tape
- Roll of magnetic 'A' tape (for vertical panel edges)
- 2 × 150W clip-on spotlights with cable and plug
- Semi-rigid trolley/case with built-in wheels

Optional Printed Panels

- 420 micron opaque white PVC
- Supplied ready to fit with 'kick-strips' pre-applied
- Available laminated (80 micron matt textured scratch resistant PVC)



Curved Pop-Ups can create a powerful 'brand backdrop'



In stock



No tools assembly



10 minutes to assemble
By one person



Recyclable
Aluminium frame



Collapsible
aluminium frame



All magnetic bars and
tape supplied




Complete with spotlights,
cable and plug




Semi-rigid wheeled
trolley/case included

Specification					
Size	Dimensions (w × h × d mm)	Option	Weight (kg)	Stock Status	Order Code
3 × 3	O/A: 2610 × 2320 × 660 Panel area: 3440 × 2300 Visual front: 2497 × 2300	Hardware kit	21	In stock	PUC3X3
		+ Printed panels*	27	Made to order	PUC3X3(P)
		+ Lamination*	29	Made to order	PUC3X3(PL)
4 × 3	O/A: 3120 × 2320 × 945 Panel area: 4140 × 2300 Visual front: 3196 × 2300	Hardware kit	26	In stock	PUC3X4
		+ Printed panels*	33	Made to order	PUC3X4(P)
		+ Lamination*	36	Made to order	PUC3X4(PL)


*Please allow a 3-5 working day turn around (subject to quantity).




How to Assemble Curved Pop-Ups



Pull the frame up



Expand the frame



Frame fully erect



Insert magnetic bar at top



And slide in bar at bottom



Hook panels onto frame



Press panels into place



Panel assembly complete



Plug lead into spotlights



Place onto front of frame



Slide bracket into place



Pop-Up complete with spotlights

Hard Trolley Case/Counter for Curved Pop-Ups

- Sturdy yet lightweight moulded **polyethylene case**
- Black laminated MDF counter top – simply unfolds and clips into place
- Built-in wheels for ease of movement
- Stores all Curved Pop-Up components with space for optional '**graphic wrap**' (available separately)



In stock

Graphic wraps made to order



No tools assembly



2 minutes to assemble

Including graphic wrap



Recyclable

Polyethylene case and PVC 'graphic wrap'




Optional 'graphic wraps' feature magnetic strips for quick and easy installation



Shown with 3 x 3 Curved Pop-Up



Specification			
Item	O/A Dimensions (w x h x d mm)	Weight (kg)	Order Code
Case	593 x 890 x 400	10	MPUC
Counter top	700 x 8 x 500	3	MPUCTT
Graphic Wrap	1570 x 755	3	—
Fitting strips (for own graphic wrap production)	—	1	GWSTRIPS



X-Banner Stand

- Low cost, high impact banner display
- Simple fold-away design – no tools assembly
- Displays 600 × 1600mm eyeleted banners in a wide range of materials (available made to order)
- Banners simply hook into place – quick and easy to remove and replace
- Carbon fibre top poles provide excellent tension and stability, ensuring banners do not sag over time
- Black canvas carry bag included (extra durable carry case also available – see page 61)



In stock



1 minute to assemble



Recyclable

Steel legs and plastic mouldings

Specification			
Banner Size (mm)	O/A Dimensions (w × h × d mm)	Weight (kg)	Order Code
600 × 1600	655 × 1690 × 690	2	XBAN600



Adhesive top rail bonds to rear top edge of banner

Eco Roll-Up Banner

- Low cost, spring loaded 'roll-up' for single-sided banners
- Self-adhesive strips top and bottom for easy banner installation
- Silver anodised aluminium case, top rail, pole and folding feet
- Complete with black padded carry case and full instructions
- Now available for 800mm and 850mm wide banners



In stock



1 minute to assemble

+4 minutes if banner not pre-loaded



Recyclable

Aluminium case, top rail, pole and folding feet



All components fold away into portable carry bag (included)

Specification				
Banner Size (mm)	Display Area (mm)	O/A Dimensions (w × h × d mm)	Weight (kg)	Order Code
800 × 2000	800 × 1945	820 × 2050 × 365	3	ERBS8
850 × 2000	850 × 1945	870 × 2050 × 365	3.1	ERBS850

Banner Materials – We recommend smooth surface, lightweight rigid roll materials for Eco Roll-Up Banners, such as 125 micron grey backed polyester or 220 micron matt opaque PVC. Flexible, reinforced PVC banner materials have a textured surface and/or incorporate polymers which can react with adhesive tape so should be avoided. Do not use materials more than 300 micron thick.

Smart Roll Banner

Patent No. EP 05801071

High quality interchangeable banner displays

- Designed for a long, maintenance-free life
- Top and bottom aluminium 'clamp rails' and roller tension release mechanism make installing and removing banners quick and easy
- Banners simply roll into the case for storage and transit
- Telescopic pole allows banner height adjustment between 1 and 2.3m
- Single-sided units supplied with carry case (case for double-sided units available separately – see page 61 for details)



'Clamp rails' make installing and removing banners quick and easy



Recyclable
Aluminium case, clamp rails,
pole and folding feet

Single-Sided



In stock
900mm made to order



1 minute to assemble
+4 minutes if banner not
pre-loaded

Double-Sided



Made to order



2 minutes to assemble
+6 minutes if banner not
pre-loaded

Specification – Single-Sided

Banner Width (mm)	Display Area (mm)	O/A Dimensions (w x h x d mm)	Weight (kg)	Stock Status	Order Code
800	800 x 1930	830 x 2340 (max) x 340	6.8	In stock	SRBS8
900	900 x 1930	930 x 2340 (max) x 340	7.5	Made to order	URBST00N92
1000	1000 x 1930	1030 x 2340 (max) x 340	8.5	In stock	SRBS10

Specification – Double-Sided

Banner Width (mm)	Display Area (mm)	O/A Dimensions (w x h x d mm)	Weight (kg)	Stock Status	Order Code
800	800 x 1930	850 x 2340 (max) x 340	8.6	Made to order	URBSC00N82
900	900 x 1930	950 x 2340 (max) x 340	9.3		URBSC00N92
1000	1000 x 1930	1050 x 2340 (max) x 340	10		URBSC00N12

Banner Materials – A wide range of flexible or rigid media up to 300 micron thick can be used with Smart Roll Banners. For print quality, strength and dimensional stability, we recommend using 125-150 micron polyester based films with light block layer/backing or 220 micron opaque PVC – both in a matt white finish for optimum print results.

Quick Banner

Discreet, compact and lightweight banner display

- Top and bottom aluminium 'clamp rails' make installing and removing banners quick and easy
- Lightweight carry bag included with each unit
- Durable black carry cases also available separately (see page 61)
- Banner height (fixed): 2 metres
- Double-sided units feature adjustable pole for final tensioning
- Clip-on spotlights (50W) available separately (see page 61)




'Clamp rails' make installing and removing banners quick and easy



Recyclable
Aluminium clamp rails, pole and stand

Single-Sided



In stock
For 600 and 800mm wide banners



3 minutes to assemble

Specification – Single-Sided					
Banner Size (w × h mm)	Display Area (mm)	O/A Dimensions (w × h × d mm)	Weight (kg)	Stock Status	Order Code
600 × 2000	600 × 1980	603 × 2060 × 413	1.5	In stock	QBS62
700 × 2000	700 × 1980	703 × 2060 × 413	1.75	Made to order	UQBET00N72
800 × 2000	800 × 1980	803 × 2060 × 413	2	In stock	QBS82
900 × 2000	900 × 1980	903 × 2060 × 413	2.25	Made to order	UQBET00N92
1000 × 2000	1000 × 1980	1003 × 2060 × 413	2.5	Made to order	UQBET00N12

Double-Sided



Made to order



5 minutes to assemble

Specification – Double-Sided					
Banner Size (w × h mm)	Display Area (mm)	O/A Dimensions (w × h × d mm)	Weight (kg)	Stock Status	Order Code
600 × 2000	600 × 1970	606 × 2080 × 620	2.3	Made to order	UQB0C00N62
700 × 2000	700 × 1970	706 × 2080 × 620	2.7		UQB0C00N72
800 × 2000	800 × 1970	806 × 2080 × 620	3		UQB0C00N82
900 × 2000	900 × 1970	906 × 2080 × 620	3.4		UQB0C00N92
1000 × 2000	1000 × 1970	1006 × 2080 × 620	3.8		UQB0C00N12

Banner Materials – A wide range of flexible or rigid media up to 300 micron thick can be used with Quick Banners. For print quality, strength and dimensional stability, we recommend using 125-150 micron polyester based films with light block layer/backing or 220 micron opaque PVC – both in a matt white finish for optimum print results.

Adjustable Quick Banner

- Adjustable for banners between 1900 – 2200mm in height
- Weighted foot for improved stability
- Top and bottom aluminium 'clamp rails' make installing and removing banners quick and easy
- Lightweight carry bag included



Made to order



3 minutes to assemble



Recyclable
Aluminium clamp rails, pole and stand



Lightweight carry bag included



Specification				
Banner Width (mm)	Display Area (mm)	O/A Dimensions (w × h × d mm)	Weight (kg)	Order Code
600	600 × 2170 (max)	606 × 2240 (max) × 360	2.3	UQBAT01N62
700	700 × 2170 (max)	706 × 2240 (max) × 360	2.7	UQBAT01N72
800	800 × 2170 (max)	806 × 2240 (max) × 360	3.1	UQBAT01N82
900	900 × 2170 (max)	906 × 2240 (max) × 360	3.5	UQBAT01N92
1000	1000 × 2170 (max)	1006 × 2240 (max) × 360	3.8	UQBAT01N12

Banner Materials – A wide range of flexible or rigid media up to 300 micron thick can be used with Adjustable Quick Banners. For print quality, strength and dimensional stability, we recommend using 125-150 micron polyester based films with light block layer/backing or 220 micron opaque PVC – both in a matt white finish for optimum print results.

Promo Counters

- Portable flat-pack design – quick and easy to assemble
- Choice of Hexagonal or Convex with white laminate or wood tops
- Durable aluminium frames with silver anodised finish
- White foam PVC display panels
- Panels suitable for vinyl application or direct-to-surface print*
- Optional black carry bags available separately (see page 61)

* Due to possible curvature in convex panels, caution is required when printing direct-to-surface with flatbed digital printers



In stock
Convex with white top



10 minutes to assemble



Recyclable
Aluminium frames and foam PVC panels



Rear view of Hexagonal with wood top



Convex with white top



Hexagonal with white top

Specification						
Style	O/A Dimensions (w × h × d mm)	Panel Sizes (w × h mm)	Weight (kg)	Top	Stock Status	Order Code
Convex	1060 × 930 × 580	Front: 980 × 878 (×1)	18.1	White	In stock	CONVXW
		Sides: 430 × 878 (×2)	20.2	Wood	Made to order	UPSM008000
Hexagonal	1225 × 930 × 550	Front: 659 × 878 (×1)	19.3	White	Made to order	UPSM001000
		Sides: 311 × 878 (×4)	21.3	Wood	Made to order	UPSM007000

Promo Stands

Lightweight, portable and cost-effective display counters, now available in 2 stock sizes


- Flat-pack design for easy storage and transit
- Moulded white HIPS counter top, base and shelf
- White powder coated steel poles
- White foam PVC header and polypropylene counter panel – ideal for printed vinyl application
- Both sizes supplied complete with carry bag



Petite



Maximum Loads
Counter top: 20kg
Internal shelf: 10kg



Specification – Petite					
Panel	Panel Size (mm)	Display Area (mm)	O/A Dimensions (w x h x d mm)	Weight (kg)	Order Code
Header	700 x 300	700 x 300	700 x 2150 x 390	12.8	PETITPROMO
Counter	1596 x 900	1584 x 824*			


*Individual panel display areas – Front: 352 x 824 (x2). Sides: 340 x 824 (x2).



Large




Maximum Loads
Counter top: 25kg
Internal shelf: 20kg



Specification – Large					
Panel	Panel Size (mm)	Display Area (mm)	O/A Dimensions (w x h x d mm)	Weight (kg)	Order Code
Header	830 x 350	830 x 350	900 x 2200 x 510	14.1	PROMSTDWB
Counter	2004 x 900	1976 x 810*			

*Individual panel display areas – Front: 441 x 810 (x2). Sides: 423 x 810 (x2).



In stock



10 minutes to assemble



Recyclable

Steel poles, moulded HIPS base, shelf and counter top, polypropylene counter panel and foam PVC header

Accessories

for Portable Exhibition Displays

Carry Cases

for X-Banner Stand & Quick Banners

- Black canvas carry bag with rigid tube liner
- Stores complete hardware and banner(s)

Specification			
Banner Width (mm)	Suitable Items	Weight (kg)	Order Code
Up to 800	Quick Banners only	1.4	BCB8
Up to 1000	Quick Banners & X-Banner	1.6	BCB10



In stock



Carry Cases for

Double-Sided Smart Roll Banners

- Black padded canvas bag
- Stores complete hardware and banners

Specification	
Banner Width (mm)	Order Code
800	UYUP070000
Up to 1000	UYUP071000




Made to order



Spotlight

for Quick Banners

- 50 watts power output
- Clips quickly and easily into place
- CE/UL Pat tested



Order Code
UQB1001000



Made to order

Carry Bag

for Promo Counters

- Black textile bag
- Stores complete hardware

Specification		
Counter Type	Stock Status	Order Code
Convex	In stock	CONVXBG
Hexagonal	Made to order	UYUP074100



In stock
(Convex)

